Gender differences in sexual and reproductive health seeking patterns among Arabs: analysis of Telehealth data

Patient Attitudes about Health-Related Quality of Life and Depression in an Ambulatory Heart Failure Clinic

Association between % obesity and per capita density of fast-food restaurants at the county level in United States in 2010

Epidemiology of Gastric and Colorectal Signet Ring Cell Adenocarcinomas

Telestroke in Brazil: Comparing the implementation of services across the country

Characterization of AJCC 8 T2 and T3 Cutaneous Squamous Cell Carcinomas

: Tele-Stroke usage by patients with stroke symptoms in New England area hospitals with Tele-Stroke facility.

Validity of Self-reported versus CMS-identified Atrial Fibrillation in the VITAL Study

Do Canadian Adults with Celiac Disease Need Supplements to Meet RDA Targets?

Surgical approach and unplanned readmission following pelvic organ prolapse surgery: A retrospective cohort study using data from the National Surgical Quality Improvement Program Database (NSQIP)

Ownership and Usage of Insecticide Treated Nets Among Recently Pregnant Women in Rwanda: Does Routine Distribution Ensure Coverage?

Survival outcomes for US and Canadian patients diagnosed with Hodgkin Lymphoma before and after Brentuximab Vedotin approval for relapsed/refractory disease: a retrospective cohort study

Association between years of residency in the USA of Hispanic immigrant women and small for gestational age

Vertebral artery aneurysms and the risk of cord infarction following spinal artery coverage during flow diversion

¬¬A population-based study evaluating neoadjuvant chemotherapy sensitivity in de novo versus progressive muscle-invasive bladder cancer in the province of Ontario

A Meta-Analysis of Complications Associated with Botulinum Toxin A Injections for Facial Rejuvenation

Effectiveness of immune checkpoint inhibitors in advanced non-clear cell renal cell carcinoma

Prognostic Awareness in Caregivers of Patients with Incurable Cancer

Frailty to predict cardiac outcomes among patients undergoing non-cardiac surgery using data from the National Surgical Quality Improvement Program (NSQIP): 2012 – 2014

Investigating Differences in Cancer Diagnosis and Survival Among South Asian Americans: A Prospective Cohort Study from the Surveillance, Epidemiology and End Results (SEER) Program, 2001-2015

HIV-1 Viral Load Suppression among Pediatric Clients in Lusaka, Zambia

The impact of community on parental vaccination decisions: An analysis of vaccine exemptions using county-level sociodemographic indicators

Differences in Time to Return to Work among Patients Undergoing Staged versus Simultaneous Bilateral Total Knee Arthroplasty

Urine Concentration and Kidney Function (UCKF) study: a cross-sectional study using data from the U.S. National Health and Nutrition Examination Survey (NHANES) 2009 - 2012.

Longitudinal association between within-visit blood pressure variability and development of hypertension

Psychosocial Occupational Exposures and Healthcare Utilization: A Study from the 2015 National Health Interview Survey

Metformin continuation and pregnancy outcomes in women with type 2 diabetes: emulation of a target trial using routinely collected healthcare data.

The interaction of frailty and stoma creation on early post-operative readmission following colorectal surgery

Management of CNS metastases in EGFR mutated NSCLC treated upfront with a tyrosine kinase inhibitor.

The incidence and characterization of diagnostic process errors among patients with bacteremia at The Ottawa Hospital and Brigham and Women's Hospital

Association between statin use and risk of inflammatory bowel diseases.

Participation in full-contact intercollegiate athletics (1916-1954) and risk of mortality from neurodegenerative diseases.

The management of young women with breast cancer in Switzerland: a snapshot

Efficacy of fibrates in patients with primary biliary cholangitis

The relationship between serum total cholesterol and statin use on intraocular pressure (IOP)

Association between adoption of EMR and patient safety in US hospitals

Prediction of treatment success from Assisted Reproductive Techniques in a nationwide Swedish cohort using Machine Learning

Use of Actipatch device on patients with anterior uveitis

Patent Ductus Arteriosus Closure Surgery in Extreme Premature Patients, A Retrospective Cohort

Assisted reproductive techniques (ART) and the risk of childhood cancers: long-term follow-up of children born after ARTs using Swedish register data.

Salivary HPV DNA status following treatment of p16+ oropharyngeal squamous cell carcinoma

Sexual orientation, emotional support, and satisfaction with life

Hair: A Barrier to Physical Activity in Black Women?

Knowledge and Attitudes of 3rd and 4th Year Medical Students about Evidence-Based Medicine (EBM)

Patient Prioritization for Proton Beam Therapy in a Cost-neutral Payer Environment: Use of the Clinical Benefit Score for Resource Allocation

Alcohol Policies and Motor Vehicle Crash Deaths Involving Alcohol Below 0.08%

Development and Application of a Prognostic Model for Oral Implant Survival: A Retrospective Cohort Study

Frailty Status and Post-Operative Morbidity and Mortality Among Head and Neck Cancer Patients: A Prospective Cohort Study

Relationship between depression and periodontitis after a self-reported physician diagnosis

THABITI: Empowering mothers and protecting children through surgical systems strengthening

Injuries associated with motorized scooters in the age of electronic scooter sharing

Patient predictors for de-intensifying treatment of HPV+ oropharyngeal cancers undergoing transoral robotic surgery

Sport vs Assault: Mechanism of Injury Differences in Concussion among Children and Adolescents by Race and Ethnicity

Effects of socioeconomic status on incidence of cardiovascular diseases in adults >45 years of age in China

Regional Analysis on active surveillance for avian influenza of pandemic potential conducted in poultry population

Trends and disparities in anticoagulation for atrial fibrillation in the U.S.

Roses are red, Violets are blue, But do regular GP visits reduce overall healthcare utilization? For people with 3 highs and for those without too?