Sexual Reproductive Health in Humanitarian Settings

Janet Meyers November 20, 2014



Humanitarian context

- 51.2 million people were forcibly displaced worldwide as a result of persecution, conflict, generalized violence and human rights violations (2013)
 - 16.7 million people were refugees
 - 33.3 million internally displaced persons (displaced by violence and conflict)
 - 1.2 million asylum seekers
- On average 27 million people displaced due to natural disaster

Sexual reproductive health context

- High maternal mortality due to lower number of deliveries attended by a skilled birth attendant
- Unmet needs for FP unavailable or non affordable, leading to unsafe abortions
- Forced displacement from homes lack of security; abject poverty; basic and survival needs increase risk for sexual violence.
- Lack of SRH services targeting adolescents
- In most settings, sexually transmitted infections, including HIV, spread fastest where there is poverty, powerlessness and instability.



Afghanistan Burundi Cameroon CAR Chad DRC Ethiopia Iraq Jordan Kenya Lebanon Mali Pakistan Sierra Leone Somalia South Sudan Sudan Syria Turkey Yemen





Overview continued

Globally in 2013:

- 382 health care
 providers were trained
 in clinical management
 of rape and 2,872 on
 guiding principles of
 GBV prevention and
 response
- 12,156 survivors of sexual assault received appropriate care at IMC supported facilities






Overview continued


- Over 1,585 providers were trained on maternal and newborn health concepts
 - family planning
 - emergency obstetric and newborn care concepts (including referral systems)
- 43,716 new users for family planning



Framework for SRH in Emergencies



Note: Crises seldom take a linear, clear-cut path from emergency, stability, recovery to development. Often, they are complex, with settings experiencing varying degrees of improvement or deterioration that can last decades. The provision of RH services must therefore take into account the non-linear trajectory of a crisis, and the gaps in services due to insecurity, competing priorities or dwindling funds in protracted settings. The IAFM is applicable for all settings, wherever an agency finds itself on the emergency continuum.





IMC Midwife and TBA in Awerial




UNFPA Midwife and Newborn

IMC program sites:

- Tomping, Juba 3, Malakal, Arweil PoCs
- Maban Camps




Deliveries by site





Total deliveries all sites








CEmONC Facility in Juba 3 Camp



New acceptors of FP by site







Health Education in Tomping





Ethiopia: Gambella refugee camps ASRH services

- SRH in emergency/MISP
 - MISP training to ARRA health providers
 - FP and emergency contraception training
 - HCT training and condom provision
 - BEMONC training, CDK distribution
 - Supporting SRH referral services including GBV
 - Training on syndromatic management of STI



Gambella continued

- ASRH services including:
 - Facilitation of youth clubs activities such as peer education sessions
 - Developing youth focused SRH IEC materials
 - Youth friendly SRH service training
 - Youth edutainment sessions



South Sudan: Health System Support - Health Workforce

 Support to 3 midwifery and nursing schools in South Sudan

Donors: UNFPA/CIDA





©2012 International Medical Corps

Midwifery Schools













South Sudan Midwifery and Nursing Schools

Name of HSI	Program	Year	Total No. students		Tutors	
			M	F	Nat'l	Intl
JCONAM	Nursing	2013 - 14	19	23	03	03
JCONAM	Midwifery	2013 - 14	19	34	02	03
Kajo Keji	CMW Bridging Programme	2013 - 14	01	18	02	04
Kajo Keji	Enrolled	2013 - 14	23	42	02	04
Wau	Midwifery	2013 - 14	18	26	00	03



Partnerships

- Interagency Working Group for RH in Emergencies (IAWG)
- UNFPA
- Ministries of Health

South Sudan:

- Marie Stopes International condoms, Misoprostol, Implants for FP; UNICEF – Mama kits, baby kits, dignity kits; Concern – dignity kits
- Multiple Donors

Ethiopia:

BPRM, UNHCR and SPRINT/IPPF
©2012 International Medical Corps



Challenges – South Sudan

- Occasional stock outs of test kits, medicines, condoms and consumables
- Shortage of skilled personnel
- No C/S available at night in POCs women fear delivering at Juba Teaching Hospital for security reasons
- Women prefer to deliver at home
- Pressure to have children and populate the country



Challenges – South Sudan cont'd

- Providers resistance to providing FP services without consent from husband
- High level of repeat STIs
- Women outside POCs travel long distances expensive
- ¾ of women are heads of household and cannot leave children
- Police intimidate survivors seeking CMR services
- Preference for female birth attendants International Medical Corps

Actions Taken

- Midwives travel with mobile outreach teams
- Women focus groups talking about SRH issues
- Weekly SRH and surgical trainings for staff
- Increase SRH outreach through TBAs and health workers in POC
- Maternal waiting homes
- Continue to train and negotiate with all GBV actors about survivor-centered approach



Actions Taken

- Provide incentives to TBAs based upon number of women referred to facilities for deliveries and ANC
- Train TBA outreach workers in danger signs of pregnancy, birth preparedness
- Preposition commodities during dry season to prevent stock outs in the rainy season



Challenges

- Lack of comprehensive care and supportive environment to facilitate time reporting and care after SV
- Provider biases related to GBV, FP, ASRH, etc...
- Short courses or refresher training when full training is needed
- Stock-outs of key medicines
- Cold chain is frequently disrupted affecting availability of oxytocin and tetanus

Things to Consider

- Advocate with governments to allow nurses and SBAs to provide CMOR
- PEP and EC supplies
- Improve referrals especially for survivors of sexual violence
- Competency based training

