



Applying Science to Strengthen and Improve Systems

System-level Integration of Mother-Baby Services to Eliminate Mother-to-Child Transmission of HIV (EMTCT): The Missing Link

Isaac Chome Mwamuye, Benard Makenzi, Roselyn Were, Faith Mwangi-Powell, Michael K Mwaniki, Kenya Amy Stern, USA University Research Co., LLC

The Partnership for HIV-Free Survival (PHFS)

- Six countries: Uganda, Tanzania, Kenya, Lesotho, Mozambique, South Africa
- ASSIST supporting PHFS in Uganda, Tanzania, Kenya, Lesotho
- Community demonstration work in Mozambique




PHFS in Kenya



- Demonstration/ learning sites: 16 sites in Kwale County
- Plans for spread: Kwale County Health Management Team to spread change ideas to sites within Kwale County that are not part of PHFS


PHFS Strategy



Applying improvement to achieve HIV-free survival

WHAT ARE WE TRYING TO ACHIEVE?

- HIV-positive mothers who are alive and in care
- Exposed infants who are HIV-free, alive and in care



Mother – Baby Pair Register

Unique Date of Serial No. Name 1 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 COMMENTS 2 3 5 9 10 29 30 4 nro lmer Physical Address Mother 1. WHO Stage LNMP Cd4 Count/Viral Load Ca Cervix Screening Family Planning Cotrimovazole prophy laxis EDD Mobile Numbe ART Regimen HB Height MUAC Weight HIV BMI Status of Partner Vitamin A Nutritional Counseling/ Support Offered Tetanus Toxoid Blood Group IPT Ferrous Sulphate/Folate Cotrimoxazole prohylax Date of next appointme (mother and baby) Infant: izations Birth Weight Im Vitamin A suppliments Vitamin A suppliments Cotrimoxazole pro hylaxis Prophylactic ART Mode of Delivery Feeding Option Height Weight Muac Hospital Home 1⁴⁷ PCR Place of delivery HIV test at 9 months Date of Birth HIV test at 18 months (confirmatory PCR if necess ary)

MOTHER BABY PAIR REGISTER

Mother-Baby Pair register


								1 1							
Serial No.	Date of Enrolment	Unique Number	Name						1	2	з	4	5	6	7
1.			Mother	LNMP		P hysical Address		WHO Stage							
				EDD				Cd4 Count/Viral Load							
								Ca Cervix Screening							
								Family Planning							
								Cot ni moxa zole prop hylaxis							
						Mobile Number		ART Regimen							
								нв							
						Height		MUAC							
								Weight							
				HIV Status of Partner				BMI							
								Vitamin A							
								Nutritional Counseling' Support Offered							
						Blood Group		Tetanus Toxoid							
								IPT							
								Ferrous Sulphate/Folate							
								Cotrimos azole prohylaxis							
							1	Date of next appointment (mother and ba by)							
			Infant	Bisth Weight				Immunizations							
								Vitamin A suppliments							
								Vitamin Asuppliments							
								Cotti moxazole prohylaxis							
								Prophylactic ART							
				Mode of Delivery				Feeding Option							
								Height							
							Winight								
								Muac							
				Place of delivery		Hospital	Home	1 ^{sr} PCR							
								HIV test at 9 months							
				Date of Birth				H IV bost at 18 months (confirmatory PCR if necessary)							

Kenya mother-baby pair register

- Integrates the entire care package for mother (pre and postnatal) and HEI into same place, time and care provider
- Institutionalization: NASCOP reviewing MB pair register for possible adoption as a standard MOH tool.


Mother and baby seen at the same time, same place, by same health worker

Improvement in retention in care, Kwale County, Kenya




Provision of ART for pregnant women and NVP for unborn children, Kwale County, Kenya

% of HIV+VE pregnant mothers attending ANC monthly on ARVs (prophylactic or HAART)




NACS and exclusive breastfeeding

% of HEI aged ≤6 months who are being exclusively breastfed



% of mother-baby pairs who received nutrition assessment, categorization, counseling, and support monthly



Mother-to-child HIV transmission in 16 facilities in Kwale County, Kenya at 6 weeks (DNA-PCR)

Percentage of HIV-exposed infants who test positive on a DNA PCR test

20% 15% 10% 9% 5% 4% 0% Jan-Mar Jul-Sep Jan-Mar Jul-Sep Jan-Mar Jul-Sep Jan-Mar 2012 2013 2014 2012 2013 2014 2015

Mother-to-child HIV transmission in Kwale County, Kenya at 6 weeks (DNA-PCR)

Percentage of HIV-exposed infants who test positive on a DNA PCR test And average percentage from Jan 2012-Sept 2013 vs Oct 2013-Mar 2015 20% 15% 10% 9% 5% 4% 0%

Jan-Mar 2012 Jul-Sep 2012 Jan-Mar 2013 Jul-Sep 2013 Jan-Mar 2014 Jul-Sep 2014 Jan-Mar 2015

Work improvement team meetings



Ng'ombeni



- System wide efforts to Integrate care of mothers and their babies are key to improving their retention in care and quality of the care they receive.
- Manual registers or EMR both applicable.







Applying Science to Strengthen and Improve Systems

https://www.usaidassist.org/ partnership-hiv-free-survival

ichome@urc-chs.com isachome@gmail.com