

[H1N1 Pregnant Women Poll]

Weighted Topline

March 24, 2010

Knowledge Networks fielded this study on behalf of the Harvard School of Public Health. Interviews were collected from January 26 to February 26, 2010 among a national sample of women aged 18 to 50 on the KnowledgePanel<sup>SM</sup> and among an email opt-in panel of pre-identified pregnant women and mothers of children under the age of one. A total of 1,040 respondents were eligible and completed the survey. Of the total eligible respondents, 514 were classified as currently pregnant, and these are the focus of this topline summary.

The following tables show the weighted results of each survey question. The population benchmarks for pregnant women were developed from Knowledge Networks panelists who responded to this survey. The tables show the unweighted bases for each survey question. The margin of error is +/-6.1% for the total group of pregnant women at the 95% confidence level.

1. Are you expecting...

	Pregnant
Unweighted Base	514
	%
A single baby	87
Twins	2
Triplets or more	0
Don't know yet	11
Refused	0

**[DISPLAY]**

**[IF Q1=2 OR 3]**

You indicated that you are expecting more than one baby. For the rest of this survey, when you are asked about your “baby”, please consider all of the babies you are expecting.

**[DROP DOWN MENU FOR MONTH AND NUMERIC BOX 1-31 FOR DATE]**

**[IF PREGNANT]**

2. When [if Q1=1: is your baby/ if Q1=2 or 3:are your babies] due? (Pregnancy duration in weeks)

	Pregnant
Unweighted Base	514
	%
1-12 weeks	11
13-27 weeks	42
28+ weeks	46
Refused	1

**[COMPUTE DATA ONLY VARIABLE: PREGNANCY\_DURATION:  
COMPUTE Q2-CURRENT\_DATE, THEN CONVERT INTO WEEKS]  
PREGNANCY\_DURATION=40-WEEKS ABOVE]**

As you may or may not know, in April of this past year (2009), an outbreak of a new influenza or flu virus began in the United States and other countries. It is different from the seasonal flu.

This specific flu has been called novel influenza A - H1N1 or Swine Flu. The following questions are about this new H1N1 flu.

**I. Awareness and Concern**

**[RADIO]**

5. Are you concerned that you may get sick from H1N1 flu during the next 12 months, or aren't you concerned about that?

Pregnant	
Unweighted Base	514
	%
Yes, I am concerned	34
No, I am not concerned	66
Refused	1

**[RADIO]**

**[IF Q5=1/YES]**

Q5a. [IF concerned] How concerned are you? Are you...?

[Base: Pregnant women who are concerned]

Pregnant	
Unweighted Base	158
	%
Very concerned	21
Somewhat concerned	70
Not very concerned	9
Refused	0

[Base: All pregnant women]

Pregnant	
Unweighted Base	514
	%
Very concerned	7
Somewhat concerned	24
Not very concerned	3
Refused	0
Not asked -- Not concerned	66

**[RADIO]**  
**[IF PREGNANT]**

7. [If pregnant] Thinking about the next 12 months, are you concerned that your baby may get sick from H1N1 after she or he is born, or aren't you concerned about that?

Pregnant	
Unweighted Base	514
	%
Yes, I am concerned	49
No, I am not concerned	51
Refused	0

**[RADIO]**  
**[IF Q7=1/YES]**

7a. [IF concerned] How concerned are you? Are you...?

[Base: Pregnant women who are concerned]

Pregnant	
Unweighted Base	255
	%
Very concerned	31
Somewhat concerned	64
Not very concerned	6
Refused	0

[Base: All pregnant women]

Pregnant	
Unweighted Base	514
	%
Very concerned	15
Somewhat concerned	31
Not very concerned	3
Refused	0
Not asked -- Not concerned	52

## II. Vaccination and Non-Vaccine-Related Behaviors

**[RADIO]**

8. A vaccine to protect specifically against the new H1N1 flu first became available in October of 2009. Since then, have you gotten the H1N1 flu vaccine **for yourself** or not?

	Pregnant
Unweighted Base	514
	%
Yes, have gotten H1N1 vaccine for myself	42
No, have not gotten H1N1 vaccine for myself	58
Refused	1

**[RADIO]**

**[IF Q8=1/YES]**

9. [If yes] Where did you get the H1N1 flu vaccine for yourself?

[Base: Pregnant women who got H1N1 flu vaccine]

	Pregnant
Unweighted Base	277
	%
Health clinic	20
Pharmacy	3
Primary care doctor's office	15
Obstetrician/Midwife's office	50
Somewhere else	13
Refused	0

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Health clinic	8
Pharmacy	1
Primary care doctor's office	6
Obstetrician/Midwife's office	21
Somewhere else	5
Refused	0
Not asked -- Did not get H1N1 flu vaccine	59

**[RADIO]**

**[IF Q8=1/YES]**

10. [If yes] Were you pregnant when you got the H1N1 flu vaccine?

[Base: Pregnant women who got H1N1 flu vaccine]

	Pregnant
Unweighted Base	277
	%
Yes	89
No	11
Refused	0

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Yes	37
No	5
Refused	0
Not asked -- Did not get H1N1 flu vaccine	59

**[RADIO]**

**[IF Q8=2/NO/SKIP]**

11. [If no] During this time period, have you tried to get an H1N1 flu vaccine for yourself or not?

[Base: Pregnant women who did not get H1N1 flu vaccine]

	Pregnant
Unweighted Base	237
	%
Yes, tried to get H1N1 vaccine for myself	8
No, did not try to get H1N1 vaccine for myself	92
Refused	0

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Yes, tried to get H1N1 vaccine for myself	5
No, did not try to get H1N1 vaccine for myself	54
Refused	0
Not asked -- Did get H1N1 flu vaccine	42

[RADIO]

[IF Q11=1/YES]

12. [If tried] Do you think you will try to get the H1N1 vaccine **for yourself** *again* before the end of March 2010?

[Base: All pregnant women who did not get the H1N1 flu vaccine]

	Pregnant
Unweighted Base	237
	%
Yes	4
No	2
Not sure	2
Refused	0
Not asked -- Did get / Did not try to get H1N1 flu vaccine	92

[RADIO]

[IF Q11=2/NO/SKIP]

13. [If did not try] Do you think you will try to get this vaccine **for yourself** before the end of March 2010?

[Base: All pregnant women who did not get H1N1 flu vaccine and did not try to get it]

	Pregnant
Unweighted Base	218
	%
Yes	10
No	67
Not sure	23
Refused	0

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Yes	5
No	36
Not sure	13
Refused	0
Not asked -- Did get / Did try to get H1N1 flu vaccine	46

**[GRID]**

**[IF Q12=2 OR 3 OR Q13=2 OR 3]**

14. [IF WILL NOT TRY OR TRY AGAIN (Q12/2,3 OR Q13/2,3)] Please tell me if each of the following is a reason why (if q12=2 or 13=2: you will not/ if q12=3 or 13=3: you're not sure whether you will) try to get this vaccine [show if q12=2 or 3: again] for yourself before the end of March 2010. Please indicate if each is a major reason, a minor reason, or not a reason at all.

[RANDOMIZE]

[Base: Pregnant women who did not and will not not/are not sure they will get H1N1 flu vaccine before the end of March 2010]

- a. You don't think you are at risk of getting H1N1

Pregnant	
Unweighted Base	216
	%
A major reason	15
A minor reason	34
Not a reason at all	50
Refused	0

- b. You don't think you would get very sick even if you got H1N1

Pregnant	
Unweighted Base	216
	%
A major reason	15
A minor reason	28
Not a reason at all	56
Refused	0

- c. You are concerned about safety risks from the H1N1 flu vaccine to yourself

Pregnant	
Unweighted Base	216
	%
A major reason	59
A minor reason	23
Not a reason at all	19
Refused	0



- d. [If pregnant] You are concerned about safety risks from the H1N1 flu vaccine to the baby you are expecting

Pregnant	
Unweighted Base	216
	%
A major reason	62
A minor reason	18
Not a reason at all	20
Refused	0

- e. If you do get H1N1 flu, you can get medication to treat it

Pregnant	
Unweighted Base	216
	%
A major reason	11
A minor reason	33
Not a reason at all	57
Refused	0

- f. Your health care provider recommended that you wait to get the vaccine or not get it at all

Pregnant	
Unweighted Base	216
	%
A major reason	11
A minor reason	7
Not a reason at all	80
Refused	2

- g. You cannot afford to pay for the H1N1 flu vaccine

Pregnant	
Unweighted Base	216
	%
A major reason	4
A minor reason	9
Not a reason at all	86
Refused	1

**[CHECK BOX]**  
**[IF PREGNANT]**

20. [If pregnant] Since the beginning of your pregnancy, have you done any of the following to reduce the chance you would get H1N1? *Please check all that you have done.*

[MULTIPLE RESPONSE]  
 [RANDOMIZE]

	Pregnant
Unweighted Base	514
	%
Washed your hands or used hand sanitizer more frequently	85
Avoided places where many people are gathered together, like movies, shopping malls, religious services, or family gatherings	31
Taken any steps to avoid being near someone who has flu-like symptoms	68
Refused	5

**[radio]**  
**[If Pregnant]**

22d. How do you plan to feed your new baby in the first few weeks?

	Pregnant
Unweighted Base	514
	%
Breastfeed only (baby will not be given formula)	57
Formula only	10
Breastfeed and formula	30
Don't know yet	4
Refused	0

**[radio]**  
**[IF Pregnant]**

22e. How old do you think your baby will be when you first feed him/her formula?

	Pregnant
Unweighted Base	514
	%
Less than 1 month old	24
1 to 3 months	15
4 to 6 months	20
More than 6 months old	16
Never	26
Refused	0

**[NUMBER BOX: 0-24 FOR WEEKS AND MONTHS 0-3 TO YEAR]**  
**[IF Q22d=1 or 3 PLANNING TO DO SOME BREASTFEEDING]**

22f. How old do you think your baby will be when you completely stop breastfeeding?  
 (in weeks)

[Base: Pregnant women who plan to breastfeed]

	Pregnant
Unweighted Base	457
	%
1-12 weeks	12
13-24 weeks	26
25-36 weeks	10
37 weeks - 1 year	40
More than 1 year	11
Refused	2

**[RADIO]**

**[ASK ALL]**

23. Has the H1N1 outbreak made you...?

[ROTATE ITEMS 1 AND 2]

	Pregnant
Unweighted Base	514
	%
More likely to consider breastfeeding	8
Less likely to consider breastfeeding	1
It had no impact on your consideration of breastfeeding	90
Refused	0

### III. Assessment of Illness and Vaccine

**[RADIO]**

24. Based on what you know, do you think pregnant women are more likely than other people to get seriously ill from H1N1, or aren't they?

	Pregnant
Unweighted Base	514
	%
Yes, pregnant women ARE more likely to get seriously ill from H1N1	52
No, pregnant women are NOT more likely to get seriously ill from H1N1	13
Don't know	35
Refused	0

**[RADIO]**

25. How much have you heard about the H1N1 flu vaccine?

	Pregnant
Unweighted Base	514
	%
A lot	41
Some	45
A little	12
Nothing at all	2
Refused	0

**[RADIO]**

**[IF Q25=1-3]**

26. Based on what you know, how safe do you believe the H1N1 flu vaccine is generally for most people to take?

[Base: Pregnant women who have heard something about H1N1 flu vaccine]

	Pregnant
Unweighted Base	510
	%
Very safe	29
Somewhat safe	52
Not very safe	13
Not at all safe	7
Refused	0

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Very safe	28
Somewhat safe	51
Not very safe	12
Not at all safe	7
Refused	0
Not asked -- Heard nothing at all about H1N1 flu vaccine	2

[GRID]

[IF Q25=1-3]

27. Would you say the H1N1 flu vaccine is very safe, somewhat safe, not very safe, or not at all safe for each of these groups to take?

[ROTATE]

a. Pregnant women

[Base: Pregnant women who have heard something about H1N1 flu vaccine]

	Pregnant
Unweighted Base	510
	%
Very safe	26
Somewhat safe	42
Not very safe	21
Not at all safe	10
Refused	1

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Very safe	26
Somewhat safe	41
Not very safe	21
Not at all safe	10
Refused	1
Not asked -- Heard nothing at all about H1N1 flu vaccine	2

b. Women who are breastfeeding

[Base: Pregnant women who have heard something about H1N1 flu vaccine]

	Pregnant
Unweighted Base	510
	%
Very safe	22
Somewhat safe	45
Not very safe	21
Not at all safe	12
Refused	1

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Very safe	21
Somewhat safe	44
Not very safe	20
Not at all safe	12
Refused	1
Not asked -- Heard nothing at all about H1N1 flu vaccine	2

c. Children 6 months to 1 year

[Base: Pregnant women who have heard something about H1N1 flu vaccine]

	Pregnant
Unweighted Base	510
	%
Very safe	18
Somewhat safe	44
Not very safe	24
Not at all safe	14
Refused	0

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Very safe	18
Somewhat safe	43
Not very safe	23
Not at all safe	14
Refused	0
Not asked -- Heard nothing at all about H1N1 flu vaccine	2

[RADIO]

[IF Q25=1-3]

28. Based on what you know, what is the current public health recommendation for pregnant women and the H1N1 vaccine?

[ROTATE]

[Base: Pregnant women who have heard something about H1N1 flu vaccine]

	Pregnant
Unweighted Base	510
	%
Pregnant women SHOULD get the H1N1 vaccine	83
Pregnant women should NOT get the H1N1 vaccine	15
Refused	1

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Pregnant women SHOULD get the H1N1 vaccine	82
Pregnant women should NOT get the H1N1 vaccine	15
Refused	1
Not asked -- Heard nothing at all about H1N1 flu vaccine	2

[RADIO]

[IF Q25=1-3]

29. Based on what you know, if a pregnant women gets the H1N1 flu vaccine, does it provide any protection against H1N1 flu for the baby, or doesn't it?

[Base: Pregnant women who have heard something about H1N1 flu vaccine]

	Pregnant
Unweighted Base	510
	%
Yes, it does	32
No, it does not	12
Not sure	56
Refused	0

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Yes, it does	32
No, it does not	12
Not sure	55
Refused	0
Not asked -- Heard nothing at all about H1N1 flu vaccine	2

#### IV. Experience with/Beliefs about H1N1 and Medications

**[RADIO]**

30. [If Pregnant: Since the beginning of your pregnancy / if Mom: Since your baby was born, have you been sick with an illness that you believe was H1N1 flu, or haven't you?

	Pregnant
Unweighted Base	514
	%
Yes	7
No	93
Refused	0

**[RADIO]**

**[IF Q30=1]**

31. [If yes, had H1N1] Did you...

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Contact your health care provider right away when you first had flu-like symptoms	5
Contact your health care provider after a few days of having flu-like symptoms	1
Not contact your health care provider at all	0
Refused	0
Not asked -- Have not had H1N1	93

**[RADIO]**

**[IF Q30=1]**

32. Did you have a fever while you were sick with H1N1, or didn't you have a fever?

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Yes, had a fever	6
No, did not have a fever	1
Don't know	0
Refused	0
Not asked -- Have not had H1N1	93



**[CHECK BOX]**

**[IF Q32=1]**

33. [If yes fever] Did you...? *Please check all that you have done.*

[IN ORDER]

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Take acetaminophen, also known as Tylenol, to reduce the fever	5
Take other medicine such as aspirin or ibuprofen (Advil) to reduce the fever	0
Take other over the counter cold medicines (like Nyquil) or herbal remedies to reduce the fever	0
Take no medicine to reduce the fever	0
Refused	0
Not asked -- Have not had H1N1	95

**[RADIO]**

**[IF Q30=1]**

34. Did your health care provider recommend that you take an antiviral medication, like Tamiflu, while you were sick with H1N1 or didn't she/he?

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Yes	5
No	2
Refused	0
Not asked -- Have not had H1N1	93

**[RADIO]**

**[Q30=1]**

35. Did you take an antiviral medication, like Tamiflu, while you were sick with H1N1?

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Yes	5
No	2
Refused	0
Not asked -- Have not had H1N1	93

**[GRID]**

**[IF Q35=2 OR SKIP/DID NOT TAKE TAMIFLU]**

35b. [If did not take] Please indicate if each is a major reason, a minor reason, or not a reason at all that you did not take the antiviral medication.

[ROTATE]

[Base: All pregnant women]

- a. You could not afford to pay for the antiviral medication

	Pregnant
Unweighted Base	514
	%
A major reason	0
A minor reason	0
Not a reason at all	1
Refused	0
Not asked -- Have not had H1N1 / Took antivirals	98

- b. [If pregnant] You were concerned about the safety risks of the antiviral medication to your baby

	Pregnant
Unweighted Base	514
	%
A major reason	0
A minor reason	1
Not a reason at all	1
Refused	0
Not asked -- Have not had H1N1 / Took antivirals	98

- c. You were concerned about safety risks of the antiviral medication to yourself

	Pregnant
Unweighted Base	514
	%
A major reason	0
A minor reason	0
Not a reason at all	1
Refused	0
Not asked -- Have not had H1N1 / Took antivirals	98

**[RADIO]**

**[IF Q30=2 OR SKIP]**

36. [If no, did not have H1N1] Imagine that you got flu-like symptoms tomorrow, and you thought it was H1N1. Would you be most likely to...

[Base: Pregnant women who did not have H1N1]

	Pregnant
Unweighted Base	485
	%
Contact your health care provider right away when you first had flu-like symptoms	59
Contact your health care provider after a few days of having flu-like symptoms	33
Not contact your health care provider at all	8
Refused	1

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Contact your health care provider right away when you first had flu-like symptoms	55
Contact your health care provider after a few days of having flu-like symptoms	31
Not contact your health care provider at all	7
Refused	1
Not asked -- Had H1N1	7

**[CHECK BOX]**

**[IF Q30=2 OR SKIP]**

37. If you had a fever during this time, would you be most likely to...? *Please check all that you would be likely to do.*

[IN ORDER]

[Base: Pregnant women who did not have H1N1]

	Pregnant
Unweighted Base	485
	%
Take acetaminophen, also known as Tylenol, to reduce the fever	73
Take other medicine such as aspirin or ibuprofen (Advil) to reduce the fever	2
Take other over the counter cold medicines (like Nyquil) or herbal remedies to reduce the fever	3
Take no medicine to reduce the fever	21
Refused	2

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Take acetaminophen, also known as Tylenol, to reduce the fever	68
Take other medicine such as aspirin or ibuprofen (Advil) to reduce the fever	1
Take other over the counter cold medicines (like Nyquil) or herbal remedies to reduce the fever	3
Take no medicine to reduce the fever	19
Refused	2
Not asked -- Had H1N1	7

[RADIO]

[IF Q30=2 OR SKIP]

38. If your health care provider recommended that you take an antiviral medication, like Tamiflu, while you were sick with H1N1, would you be most likely to...

[ROTATE]

[Base: Pregnant women who did not have H1N1]

	Pregnant
Unweighted Base	485
	%
Take the antiviral medication	77
Not take the antiviral medication	22
Refused	1

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Take the antiviral medication	72
Not take the antiviral medication	20
Refused	1
Not asked -- Had H1N1	7

[GRID]

[IF Q38=2 OR SKIP]

39. [If would not take] Please indicate if each is a major reason, a minor reason, or not a reason at all that you would not take the antiviral medication.

[ROTATE]

d. You could not afford to pay for the antiviral medication

[Base: Pregnant women who did not get H1N1 and would not take antiviral]

Pregnant	
Unweighted Base	100
	%
A major reason	13
A minor reason	22
Not a reason at all	61
Refused	4

[Base: All pregnant women]

Pregnant	
Unweighted Base	514
	%
A major reason	3
A minor reason	5
Not a reason at all	13
Refused	1
Not asked -- Had H1N1 / Would take antivirals	79

e. [If pregnant] You would be concerned about the safety risks of the antiviral medication to your baby

[Base: Pregnant women who did not get H1N1 and would not take antiviral]

Pregnant	
Unweighted Base	100
	%
A major reason	82
A minor reason	8
Not a reason at all	8
Refused	3

[Base: All pregnant women]

Pregnant	
Unweighted Base	514
	%
A major reason	17
A minor reason	2
Not a reason at all	2
Refused	1
Not asked -- Had H1N1 / Would take antivirals	79

f. You would be concerned about safety risks of the antiviral medication to yourself

[Base: Pregnant women who did not get H1N1 and would not take antiviral]

	Pregnant
Unweighted Base	100
	%
A major reason	42
A minor reason	33
Not a reason at all	21
Refused	4

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
A major reason	9
A minor reason	7
Not a reason at all	5
Refused	1
Not asked -- Had H1N1 / Would take antivirals	79

[RADIO]

40. More generally, if a woman who is pregnant gets sick with H1N1, how safe is it for her and the baby if she takes antiviral medications, like Tamiflu?

	Pregnant
Unweighted Base	514
	%
Very safe	9
Somewhat safe	58
Not very safe	22
Not at all safe	8
Refused	2

[RADIO]

41. If a woman who is breastfeeding gets sick with H1N1, how safe is it for her to take antiviral medications, like Tamiflu?

	Pregnant
Unweighted Base	514
	%
Very safe	8
Somewhat safe	51
Not very safe	28
Not at all safe	11
Refused	2

## V. Information Seeking

**[GRID]**

42. How important is each of the following to you as a source of information about keeping you and your baby [if qs1=2: the baby you're expecting] healthy from H1N1 flu.

[PROGRAMMER: RANDOMLY ASSIGN 7 ITEMS TO EACH RESPONDENT, MAKING SURE THAT j AND k ARE ALWAYS TOGETHER]

[ROTATE]

[Base: Note split sample]

- a. Your general doctor – other than your obstetrician or midwife

	Pregnant
Unweighted Base	287
	%
Very important	50
Somewhat important	34
Not very important	6
Not important at all	7
Refused	3

- b. Your obstetrician or midwife

	Pregnant
Unweighted Base	277
	%
Very important	70
Somewhat important	20
Not very important	3
Not important at all	6
Refused	1

- c. Online pregnancy sites

	Pregnant
Unweighted Base	301
	%
Very important	21
Somewhat important	45
Not very important	24
Not important at all	10
Refused	0

d. Your baby's doctor

	Pregnant
Unweighted Base	296
	%
Very important	71
Somewhat important	22
Not very important	1
Not important at all	6
Refused	0

e. The Centers for Disease Control and Prevention, or CDC's call/telephone line or website

	Pregnant
Unweighted Base	292
	%
Very important	42
Somewhat important	37
Not very important	11
Not important at all	8
Refused	1

f. Your state or local public health department

	Pregnant
Unweighted Base	302
	%
Very important	34
Somewhat important	40
Not very important	17
Not important at all	9
Refused	0

g. [If pregnant] Other pregnant women

	Pregnant
Unweighted Base	300
	%
Very important	17
Somewhat important	39
Not very important	30
Not important at all	14
Refused	0



i. Your own mom

	Pregnant
Unweighted Base	280
	%
Very important	31
Somewhat important	39
Not very important	19
Not important at all	11
Refused	0

j. Friends or family members who are employed in the field of health care

	Pregnant
Unweighted Base	340
	%
Very important	39
Somewhat important	44
Not very important	11
Not important at all	6
Refused	0

k. [Always follows j] Other family members

	Pregnant
Unweighted Base	340
	%
Very important	18
Somewhat important	40
Not very important	32
Not important at all	9
Refused	1

l. Television or radio news

	Pregnant
Unweighted Base	282
	%
Very important	17
Somewhat important	44
Not very important	24
Not important at all	15
Refused	0

m. Social network sites like Facebook

	Pregnant
Unweighted Base	300
	%
Very important	7
Somewhat important	15
Not very important	32
Not important at all	46
Refused	1

**[RADIO]**

**[IF PREGNANT]**

43. [If pregnant] In your discussions with your health care provider, did you and he or she discuss getting the H1N1 flu vaccine while you are pregnant?

	Pregnant
Unweighted Base	514
	%
Yes	62
No	38
Refused	0

**[RADIO]**

**[IF Q43=1/YES]**

44. [If yes] Did your health care provider...?

[ROTATE 1 & 2]

[Base: Pregnant women who discussed H1N1 flu vaccine with health care provider]

	Pregnant
Unweighted Base	377
	%
Recommend that you get the H1N1 flu vaccine while you are pregnant	80
Recommend that you NOT get the H1N1 flu vaccine while you are pregnant	7
Make no recommendation about getting the H1N1 flu vaccine while you are pregnant	14
Refused	0

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Recommend that you get the H1N1 flu vaccine while you are pregnant	49
Recommend that you NOT get the H1N1 flu vaccine while you are pregnant	4
Make no recommendation about getting the H1N1 flu vaccine while you are pregnant	9
Refused	0
Not asked -- Did not discuss getting H1N1 flu vaccine with health care provider	38

## VI. Seasonal Flu

And finally, just a few questions about seasonal flu – **NOT** the new H1N1 flu.

**[RADIO]**

49. Have you received the seasonal flu vaccine since September 2009? The seasonal flu vaccine is the flu vaccine that is available every year.

	Pregnant
Unweighted Base	514
	%
Yes	39
No	61
Refused	0

**[RADIO]**

**[IF Q49=1/YES]**

50. [If yes] Were you pregnant at the time you got this seasonal flu vaccine?

[Base: Pregnant women who got seasonal flu vaccine since September 2009]

	Pregnant
Unweighted Base	237
	%
Yes	76
No	24
Refused	0

[Base: All pregnant women]

	Pregnant
Unweighted Base	514
	%
Yes	30
No	9
Refused	0
Not asked -- Did not get seasonal flu vaccine	61

**[RADIO]**

51. Just based on what you know, how safe do you believe the seasonal flu vaccine, meaning the flu vaccine available every year, is generally for most people to take?

	Pregnant
Unweighted Base	514
	%
Very safe	47
Somewhat safe	39
Not very safe	10
Not at all safe	4
Refused	0

**[GRID]**

52. How safe do you believe the seasonal flu vaccine is for the following groups to take?

[ROTATE]

a. Pregnant women

	Pregnant
Unweighted Base	514
	%
Very safe	35
Somewhat safe	46
Not very safe	11
Not at all safe	7
Refused	1

b. Women who are breastfeeding

	Pregnant
Unweighted Base	514
	%
Very safe	32
Somewhat safe	45
Not very safe	14
Not at all safe	9
Refused	2

c. Children 6 months to 1 year

	Pregnant
Unweighted Base	514
	%
Very safe	30
Somewhat safe	45
Not very safe	17
Not at all safe	7
Refused	2

## VII. Demographics

### Age

	Pregnant
Unweighted Base	514
	%
Under 35	83
35 and older	17

### Education

	Pregnant
Unweighted Base	514
	%
High school or less	28
Some college	32
Graduated college or more	40

### Race/Ethnicity

	Pregnant
Unweighted Base	514
	%
White, non-Hispanic	62
Black, non-Hispanic	9
Other, non-Hispanic	6
Hispanic	21
2+ races, Non-Hispanic	3

### Household Income

	Pregnant
Unweighted Base	514
	%
Less than \$25k	13
\$25k - \$49999	29
\$50k - \$74999	24
\$75k +	31

Marital Status

	Pregnant
Unweighted Base	514
	%
Married	66
Widowed	0
Divorced	2
Separated	3
Never married	12
Living with partner	16

Metropolitan Status

	Pregnant
Unweighted Base	514
	%
Non-Metro	14
Metro	86

Region

	Pregnant
Unweighted Base	514
	%
Northeast	13
Midwest	28
South	36
West	23

**[GRID]**

53. Have you been told by a doctor or health professional that you have any of the following medical conditions? (% Yes)

	Pregnant
Unweighted Base	514
	%
Heart Or Lung Disease	3
Asthma	12
Kidney Disease	3
Diabetes	7
A Blood Disorder Like Sickle Cell	4
A Liver Disorder	2
A Neurological Disorder Like Epilepsy	1
A Neuromuscular Disorder Like Multiple Sclerosis	2
A Disease That Causes Decreased Immunity Such As Cancer Or HIV/AIDS	1

X1. Below is a list of the different kinds of health plans or health insurance people have, including those provided by the government.

Please indicate whether or not you are currently covered by each type of insurance or not.

**[DO NOT RANDOMIZE]**

a. Health insurance through your or someone else’s employer or union

	Pregnant
Unweighted Base	514
	%
Covered	61
Non covered	33
Not Sure	5
Refused	1

b. Medicare, a government plan that pays health care bills for people aged 65 or older and for some disabled people

	Pregnant
Unweighted Base	514
	%
Covered	5
Non covered	85
Not Sure	7
Refused	3

c. Medicaid or any other state medical assistance plan for those with lower incomes

	Pregnant
Unweighted Base	514
	%
Covered	22
Non covered	67
Not Sure	9
Refused	3

d. Health insurance that you bought directly

	Pregnant
Unweighted Base	514
	%
Covered	15
Non covered	76
Not Sure	7
Refused	2

e. Health insurance from some other source

	Pregnant
Unweighted Base	514
	%
Covered	11
Non covered	78
Not Sure	9
Refused	3

X2. Survey Language

	Pregnant
Unweighted Base	514
	%
English	90
Spanish	10