

STAT/Harvard T.H. Chan School of Public Health Poll

Americans' Attitudes about Prescription Painkiller Abuse

This survey was conducted for *STAT* and Harvard T.H. Chan School of Public Health via telephone by SSRS, an independent research company. Interviews were conducted via telephone (cell phone and landline) March 3-6, 2016, among a nationally representative sample of 1,011 U.S. adults. The margin of error for total respondents is +/- 3.7 percentage points at the 95% confidence level. For questions asked of half-samples, the margin of error is approximately +/- 5.3 percentage points; for questions asked of one-third samples, approximately +/- 6.4 percentage points. More information about SSRS can be obtained by visiting www.ssrs.com

ST-04. How serious do you think the following problems are in the state of (INSERT STATE NAME)? How about abuse of (INSERT ITEM)? Do you think that is an extremely serious problem in (INSERT STATE NAME), very serious, somewhat serious, not too serious, or not a problem at all?

a. Heroin

	Extremely serious	Very serious	Somewhat serious	Not too serious	Not at problem at all	Don't know/Refused
3/2016	22	30	23	12	4	9
4/2015 *	19	26	23	13	6	13

b. Strong prescription painkillers such as Percocet, OxyContin or Vicodin

	Extremely serious	Very serious	Somewhat serious	Not too serious	Not at problem at all	Don't know/Refused
3/2016	21	30	26	10	4	9
4/2015 *	21	30	27	10	3	9

* Trend from Boston Globe/Harvard T.H. Chan School of Public Health poll, April 15-19, 2015.

When we ask about prescription painkillers in this poll, we mean strong ones, sometimes called opioids, such as Percocet, OxyContin or Vicodin.

(Asked of Half-Sample C; n=497)

ST-05. How likely do you think it is that a person taking a strong prescription painkiller will become addicted to it?

	Very likely	Somewhat likely	Somewhat unlikely	Very unlikely	Don't know/Refused
3/2016	42	36	12	5	5
4/2015 *	44	36	12	5	3

ST-06. During the past 5 years, have you known anyone who has abused prescription painkillers, or not?

	Yes	No	Don't know/Refused
3/2016	41	59	*
4/2015 *	39	61	*

(Asked of those who have known someone who has abused prescription painkillers during the last 5 years; n=395)

ST-07. Did it lead to their dying, or didn't this happen?

	Yes	No	Don't know/Refused
3/2016	20	79	1
4/2015 *	21	77	2

**ST-06/ST-07 Combo Table
Total Respondents**

	3/2016	4/2015 *
Have known someone who has abused prescription drugs in the past 5 years	41	39
Led to their dying	8	8
Did not lead to their dying	32	30
Don't know/Refused if it led to their dying	1	1
Have not known someone who has abused prescription drugs in the last 5 years	59	61
Don't know/Refused	*	*

* Trend from Boston Globe/Harvard T.H. Chan School of Public Health poll, April 15-19, 2015.

(Asked of Half-Sample J; n=539)

ST-08. Which ONE of the following do you think is mainly responsible for the growing problem of prescription painkiller abuse?

	3/2016
People who take prescription painkillers	37
Doctors who inappropriately prescribe painkillers	34
Pharmaceutical companies that sell prescription painkillers	10
The US Food and Drug Administration, which approves prescription painkillers before they can be sold	7
Other/none of these	2
All equally	4
Don't Know/Refused	6

ST-09. Do you think most people found possessing small amounts of (INSERT ITEM) should serve jail time or should they be placed in a treatment program without jail time?

(Asked of One-third Sample E; n=348)

a. Heroin

	Should serve jail time	Should be placed in a treatment center without jail time	Don't know/Refused
3/2016	15	80	5

(Asked of One-third Sample F; n=321)

b. Prescription painkillers obtained without a prescription

	Should serve jail time	Should be placed in a treatment center without jail time	Don't know/Refused
3/2016	8	84	8

(Asked of One-third Sample G; n=342)

c. Crack cocaine

	Should serve jail time	Should be placed in a treatment center without jail time	Don't know/Refused
3/2016	22	74	4

(Asked of Half-Sample D; n=514)

ST-10. Do you think the amount of money the government currently spends on treatment programs for people addicted to prescription painkillers or heroin is too high, too low, or about right?

	Too high	Too low	About right	Don't know/ Refused
3/2016	14	41	28	17

(Asked of Half-Sample H; n=502)

ST-11. Do you agree or disagree with proposed government guidelines that doctors should prescribe strong painkillers for three days or **less** when treating acute pain, unless the pain results from trauma or major surgery?

	Agree	Disagree	Don't know/ Refused
3/2016	69	26	5

(Asked of Half-Sample I; n=509)

ST-12. Do you agree or disagree with proposed government guidelines that physicians should prescribe strong prescription painkillers for chronic pain only after trying alternative therapies such as physical therapy and less potent non-narcotic pain medication?

	Agree	Disagree	Don't know/ Refused
3/2016	73	21	6

ST-13. How concerned are you that new government guidelines will make it too difficult for people who need prescription painkillers for medical reasons to get them? Are you very concerned, somewhat concerned, not too concerned or not at all concerned?

	Very concerned	Somewhat concerned	Not too concerned	Not at all concerned	Don't know/ Refused
3/2016	23	32	26	16	3

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 001

ST-04a. How serious do you think the following problems are in the state of (INSERT STATE NAME)?
How about abuse of Heroin? Do you think that is an extremely serious
problem in (INSERT STATE NAME), very serious, somewhat serious, not too serious,
or not a problem at all?
Base: Total Respondents

	OPIOID PROBLEM																						

	SOME/NOT																						
	EXTR/ TOO/ KNOW OPIOID																						
GENDER		A G E					HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		VERY SERIOUS	TOO/NOT AT ALL	ABUSER		
TOTAL	MALE	FE-	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$50K-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	SERI- OUS	AT AL	YES	NO	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)
TOTAL UNWEIGHTED	1011	520	491	189	241	288	291	209	236	133	270	331	278	390	664	115	141	309	242	517	404	395	610
TOTAL WEIGHTED	1011	488	523	216	340	260	193	227	243	127	259	457	244	296	646	118	153	320	226	517	404	413	592
-----	100	48	52	21	34	26	19	22	24	13	26	45	24	29	64	12	15	32	22	51	40	41	59
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)
Serious (Net)	522	232	290	90	191	139	100	133	120	67	132	236	140	138	331	58	89	158	120	371	126	248	271
=====	100	44	56	17	37	27	19	26	23	13	25	45	27	26	63	11	17	30	23	71	24	48	52
	52	47	56	42	56	54	52	59	49	53	51	52	57	47	51	50	58	49	53	72	31	60	46
			B		D	D							N							U		W	
Extremely serious	218	91	127	30	82	61	43	43	55	33	57	87	54	73	148	16	30	69	56	172	38	118	100
	100	42	58	14	38	28	20	20	25	15	26	40	25	33	68	7	14	32	26	79	18	54	46
	22	19	24	14	24	24	22	19	23	26	22	19	22	25	23	14	20	22	25	33	10	28	17
				D	D	D														U		W	
Very serious	304	141	163	59	109	78	57	90	65	34	76	149	86	65	184	43	59	89	64	198	87	130	171
	100	46	54	20	36	26	19	30	21	11	25	49	28	21	60	14	19	29	21	65	29	43	56
	30	29	31	28	32	30	30	40	27	27	29	33	35	22	28	36	39	28	28	38	22	32	29
								IJK				N	N				O			U			
Not Serious (Net)	353	181	172	101	110	90	52	60	93	45	103	155	78	117	239	41	41	128	77	113	223	136	216
=====	100	51	49	29	31	26	15	17	26	13	29	44	22	33	68	12	12	36	22	32	63	39	61
	35	37	33	47	32	35	27	26	38	36	40	34	32	39	37	35	27	40	34	22	55	33	37
				EFG					H		H										T		

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 001 (continued)
ST-04a. How serious do you think the following problems are in the state of (INSERT STATE NAME)?
How about abuse of Heroin? Do you think that is an extremely serious
problem in (INSERT STATE NAME), very serious, somewhat serious, not too serious,
or not a problem at all?
Base: Total Respondents

	OPIOID PROBLEM																						
																				SOME/NOT		KNOW OPIOID ABUSER	
	GENDER			A G E				HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		EXTR/VERY SERIOUS	TOO/NOT SERI.	YES	NO
	TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$50K-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	SERI- OUS	AT AL SERI.		
Somewhat serious	233	101	132	61	68	66	38	41	59	31	69	93	57	82	158	31	20	84	52	75	144	86	147
	100	43	57	26	29	28	16	17	25	13	29	40	24	35	68	13	9	36	22	32	62	37	63
	23	21	25	28	20	26	20	18	24	25	26	20	23	28	25	26	13	26	23	15	36	21	25
														L	Q	Q					T		
Not too serious	119	80	39	40	42	24	14	19	34	14	35	63	21	34	81	10	20	45	25	38	79	51	69
	100	67	33	33	35	20	11	16	28	12	29	53	18	29	68	9	17	37	21	32	66	42	58
	12	16	8	18	12	9	7	9	14	11	13	14	9	12	13	9	13	14	11	7	19	12	12
		C		FG																	T		
Not a problem at all	41	29	12	13	14	7	5	9	10	4	7	25	5	11	16	10	4	12	5	4	29	10	31
	100	70	30	32	34	18	13	23	23	9	18	60	13	26	38	25	9	29	11	9	71	25	74
	4	6	2	6	4	3	3	4	4	3	3	5	2	4	2	9	3	4	2	1	7	2	5
		C													O						T		
Don't Know	92	45	47	13	25	22	33	24	20	11	15	41	21	29	59	8	17	20	24	28	26	19	71
	100	49	51	14	27	23	36	26	22	12	16	44	22	32	64	8	19	21	26	31	28	20	77
	9	9	9	6	7	8	17	11	8	9	6	9	8	10	9	7	11	6	10	5	6	5	12
							DEF																V
Refused	3	2	1	-	-	1	2	-	-	-	1	1	-	1	0	-	2	2	-	1	-	-	3
	100	66	34			31	69				31	28		39	7	59	59		28			100	
	*	*	*			*	1				*	*		*	*		1	1		*			1
																	O						

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 002

ST-04b. How serious do you think the following problems are in the state of (INSERT STATE NAME)?
How about abuse of Strong prescription painkillers such as Percocet, OxyContin or Vicodin? Do you think that is an extremely serious problem in (INSERT STATE NAME), very serious, somewhat serious, not too serious, or not a problem at all?
Base: Total Respondents

	OPIOID PROBLEM																								
	SOME/NOT																			EXTR/VERY		TOO/NOT		KNOW OPIOID	
	GENDER		A G E				HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		VERY SERI-	AT AL	YES	NO			
	TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$50K-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	OUS	SERI.	AT AL	YES	NO	
TOTAL UNWEIGHTED	1011	520	491	189	241	288	291	209	236	133	270	331	278	390	664	115	141	309	242	517	404	395	610		
TOTAL WEIGHTED	1011	488	523	216	340	260	193	227	243	127	259	457	244	296	646	118	153	320	226	517	404	413	592		
-----	100	48	52	21	34	26	19	22	24	13	26	45	24	29	64	12	15	32	22	51	40	41	59		
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100		
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%		
	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(W)		
Serious (Net)	517	238	279	104	192	133	87	119	121	75	141	217	145	150	357	60	69	158	132	517	-	295	219		
=====	100	46	54	20	37	26	17	23	23	14	27	42	28	29	69	12	13	30	26	100		57	42		
	51	49	53	48	56	51	45	53	50	59	54	47	60	51	55	51	45	49	59	100		71	37		
					G							L							U			W			
Extremely serious	212	87	125	41	88	47	35	45	48	32	58	75	70	63	142	26	27	59	62	212	-	133	78		
	100	41	59	19	42	22	17	21	22	15	27	36	33	30	67	12	13	28	29	100		63	37		
	21	18	24	19	26	18	18	20	20	25	22	16	29	21	22	22	18	19	27	41		32	13		
												L						R	U			W			
Very serious	306	151	155	64	104	86	52	74	74	43	83	142	75	87	215	33	41	98	71	306	-	162	141		
	100	49	51	21	34	28	17	24	24	14	27	46	25	28	70	11	14	32	23	100		53	46		
	30	31	30	29	30	33	27	33	30	34	32	31	31	29	33	28	27	31	31	59		39	24		
																			U			W			
Not Serious (Net)	360	182	177	93	108	92	67	77	93	40	96	167	73	117	223	39	55	125	68	-	360	101	259		
=====	100	51	49	26	30	26	19	21	26	11	27	47	20	32	62	11	15	35	19		100	28	72		
	36	37	34	43	32	36	35	34	38	32	37	37	30	39	35	33	36	39	30		89	24	44		
				E										M						T		V			

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 002 (continued)
ST-04b. How serious do you think the following problems are in the state of (INSERT STATE NAME)?
How about abuse of Strong prescription painkillers such as Percocet, OxyContin or Vicodin? Do you think that is an extremely serious problem in (INSERT STATE NAME), very serious, somewhat serious, not too serious, or not a problem at all?
Base: Total Respondents

	OPIOID PROBLEM																							
	SOME/NOT																			EXTR/VERY SERIOUS	TOO/NOT AT ALL		KNOW OPIOID ABUSER	
	PARTY ID																				SERI- OUS	AT AL	YES	NO
	GENDER			A G E				HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			DEM	REP					
TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$50K-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP								
Somewhat serious	255	133	122	63	76	64	51	52	73	22	72	110	61	80	163	31	39	94	47	-	255	84	171	
	100	52	48	25	30	25	20	20	29	9	28	43	24	32	64	12	15	37	19		100	33	67	
	25	27	23	29	22	25	27	23	30	18	28	24	25	27	25	27	26	30	21		63	20	29	
									J												T		V	
Not too serious	105	50	56	29	32	28	16	25	21	18	24	57	12	36	60	8	16	31	21	-	105	17	88	
	100	47	53	28	31	26	15	24	19	17	23	54	11	34	57	7	15	29	20		100	16	84	
	10	10	11	14	10	11	8	11	8	14	9	12	5	12	9	6	11	10	9		26	4	15	
												M		M							T		V	
Not a problem at all	44	25	19	11	8	13	10	11	7	4	9	26	8	9	22	6	3	13	8	-	44	3	41	
	100	58	42	25	19	29	23	25	17	8	21	59	19	22	50	14	8	30	17		100	8	92	
	4	5	4	5	2	5	5	5	3	3	4	6	3	3	3	5	2	4	3		11	1	7	
																					T		V	
Don't Know	85	40	45	8	32	19	26	20	21	8	12	45	17	18	42	13	23	21	17	-	-	13	68	
	100	47	53	9	38	22	31	23	25	10	14	53	20	21	50	16	27	25	20			16	80	
	8	8	9	4	9	7	14	9	9	6	5	10	7	6	7	11	15	7	8			3	12	
					D		DF										O						V	
Refused	5	3	2	-	-	2	3	-	-	-	1	2	-	2	1	-	2	3	-	-	-	-	5	
	100	59	41			49	51				22	45		32	28		49	66					100	
	*	1	*			1	1				*	*		1	*		2	1					1	

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 003
ST-05. How likely do you think it is that a person taking a strong prescription painkiller will become addicted to it?
Base: Total Sample C Respondents

	OPIOID PROBLEM																						
																					SOME/ NOT		KNOW OPIOID ABUSER
	GENDER		A G E					HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		EXTR/ VERY	TOO/ NOT	YES	
	TOTAL	MALE	FE- MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K- \$49.9	\$50K- \$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON- HISP	BLACK NON- HISP	HISP	DEM	REP	SERI- OUS	AT AL SERI.		
TOTAL UNWEIGHTED	497	262	235	92	119	148	137	103	111	66	131	169	139	183	327	58	70	148	109	246	201	205	288
TOTAL WEIGHTED	505	248	256	106	170	133	94	116	114	64	129	239	120	138	315	70	79	152	104	248	203	211	289
-----	100	49	51	21	34	26	19	23	23	13	26	47	24	27	62	14	16	30	21	49	40	42	57
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)
Likely (Net)	392	181	211	75	135	102	79	97	100	45	92	188	99	99	248	59	66	124	68	209	145	184	204
=====	100	46	54	19	34	26	20	25	26	12	24	48	25	25	63	15	17	32	17	53	37	47	52
	78	73	82	71	79	76	84	84	88	70	71	79	83	72	79	84	83	81	66	84	71	87	71
			B						JK			N					S		U		W		
Very likely	214	97	117	40	79	53	41	63	64	14	47	117	53	44	122	37	43	78	32	142	57	119	92
	100	45	55	19	37	25	19	29	30	7	22	55	25	20	57	17	20	37	15	66	27	56	43
	42	39	46	37	46	40	43	54	56	22	36	49	44	32	39	53	55	51	31	57	28	57	32
								JK	JK			N					O	S		U		W	
Somewhat likely	178	84	94	35	56	48	38	35	37	31	45	72	47	55	126	22	22	46	37	67	88	64	111
	100	47	53	20	32	27	21	20	21	18	25	40	26	31	71	12	12	26	21	38	49	36	63
	35	34	37	33	33	36	40	30	32	49	35	30	39	40	40	31	28	30	35	27	43	30	39
										H										T			
Unlikely (Net)	86	48	38	28	24	26	8	13	11	13	31	35	15	35	55	7	5	23	30	31	54	25	61
=====	100	56	44	33	28	30	9	15	13	16	36	40	17	41	64	8	6	26	35	36	62	29	71
	17	19	15	27	14	19	8	11	10	21	24	14	12	25	17	10	6	15	29	12	26	12	21
				G		G					HI			LM	Q			R		T		V	

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW

TABLE 003 (continued)
ST-05. How likely do you think it is that a person taking a strong prescription painkiller will become addicted to it?
Base: Total Sample C Respondents

	OPIOID PROBLEM																							

	SOME/NOT																							
	EXTR/ TOO/ KNOW OPIOID																							
GENDER		A G E						HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		VERY	AT	AL	ABUSER	
TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K- \$49.9	\$50K- \$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	NON-HISP	DEM	REP	OUS	SERI.	AT	AL	YES	NO
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
Somewhat unlikely	62	39	23	24	15	18	4	4	8	13	27	26	9	28	42	5	4	15	27	21	39	18	44	
	100	64	36	39	25	29	7	7	13	20	43	42	14	44	68	7	7	25	44	34	63	29	71	
	12	16	9	22	9	14	5	4	7	19	21	11	7	20	13	7	6	10	26	9	19	8	15	
		C		EG		G				HI	HI			LM				R			T			
Very unlikely	24	9	15	4	9	7	4	9	3	1	4	9	6	7	13	2	1	7	3	10	15	7	17	
	100	37	63	19	36	31	15	37	13	4	17	37	26	31	53	10	2	30	13	40	60	30	70	
	5	4	6	4	5	6	4	8	3	1	3	4	5	5	4	3	1	5	3	4	7	3	6	
Don't Know	23	16	7	3	11	4	6	5	3	6	5	15	5	3	11	4	7	5	5	8	4	2	20	
	100	70	30	12	48	15	25	22	11	25	22	63	22	15	46	19	31	20	22	34	16	9	88	
	5	6	3	3	6	3	6	4	2	9	4	6	4	2	3	6	9	3	5	3	2	1	7	
																							V	
Refused	4	3	1	-	-	2	2	-	-	-	1	1	1	1	1	-	1	1	-	-	1	-	4	
	100	70	30			56	44				20	35	20	14	34		35	35			20		100	
	1	1	*			2	2				1	1	1	*	*		2	1			*		1	

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 004
ST-06. During the past 5 years, have you known anyone who has abused prescription painkillers, or not?
Base: Total Respondents

	OPIOID PROBLEM																							

	SOME/ NOT																							
	EXTR/ TOO/ KNOW OPIOID																							
	GENDER		A G E					HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		VERY	NOT	ABUSER		
	TOTAL	MALE	FE- MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K- \$49.9	\$50K- \$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON- HISP	BLACK NON- HISP	HISP	DEM	REP	SERI- OUS	AT SERI.	AL	YES	NO
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	
TOTAL UNWEIGHTED	1011	520	491	189	241	288	291	209	236	133	270	331	278	390	664	115	141	309	242	517	404	395	610	
TOTAL WEIGHTED	1011	488	523	216	340	260	193	227	243	127	259	457	244	296	646	118	153	320	226	517	404	413	592	
-----	100	48	52	21	34	26	19	22	24	13	26	45	24	29	64	12	15	32	22	51	40	41	59	
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	
Yes	413	185	228	100	165	99	48	91	102	57	121	167	120	125	292	46	46	146	100	295	104	413	-	
	100	45	55	24	40	24	12	22	25	14	29	40	29	30	71	11	11	35	24	71	25	100		
	41	38	44	46	48	38	25	40	42	45	46	36	49	42	45	39	30	46	44	57	26	100		
				G	FG	G						L			Q					U		W		
No	592	299	293	117	171	159	144	135	137	70	138	289	122	169	351	69	106	173	125	219	299	-	592	
	100	50	50	20	29	27	24	23	23	12	23	49	21	28	59	12	18	29	21	37	51		100	
	59	61	56	54	50	61	75	60	56	55	53	63	50	57	54	59	69	54	55	42	74		100	
					E	DEF						M					O			T		V		
Don't Know	3	2	1	-	2	0	1	-	1	-	1	2	-	1	2	-	1	-	-	-	-	-	-	
	100	64	36		62	13	25		26		25	51		36	61		26							
	*	*	*		1	*	*		*		*	*		*	*		1							
Refused	3	2	1	-	2	1	-	-	3	-	-	-	2	1	1	2	-	-	1	3	-	-	-	
	100	67	33		67	33			100				67	33	33	67			33	100				
	*	*	*		1	*			1				1	*	*	2			*	1				

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 005

ST-07. Did it lead to their dying, or didn't this happen?

Base: Total Respondents Who Have Known Someone Who Has Abused Prescription Painkillers During The Last 5 Years

	OPIOID PROBLEM																									
	SOME/NOT																			KNOW OPIOID ABUSER						
	GENDER			A G E				HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		EXTR/VERY SERI-	TOO/NOT AT SERI.	YES	NO			
	TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$50K-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	OUS	SERI.	AT	AL	YES	NO	
TOTAL UNWEIGHTED	395	198	197	90	116	113	74	80	95	54	119	109	126	159	275	43	47	126	103	286	96	395	-			
TOTAL WEIGHTED	413	185	228	100	165	99	48	91	102	57	121	167	120	125	292	46	46	146	100	295	104	413	-			
-----	100	45	55	24	40	24	12	22	25	14	29	40	29	30	71	11	11	35	24	71	25	100				
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)			
Yes	84	32	52	12	39	19	13	20	21	14	17	27	34	23	63	10	7	26	18	71	11	84	-			
	100	39	61	14	46	23	15	24	25	16	20	32	40	28	75	12	8	31	22	84	13	100				
	20	17	23	12	24	20	27	22	21	25	14	16	28	19	22	22	14	18	18	24	10	20				
							D													U						
No	327	152	175	87	126	79	35	71	81	43	102	138	87	102	228	36	39	120	81	224	92	327	-			
	100	46	54	27	38	24	11	22	25	13	31	42	27	31	70	11	12	37	25	69	28	100				
	79	82	77	88	76	80	73	78	79	75	85	83	72	81	78	78	85	82	82	76	88	79				
				G																T						
Don't Know	0	-	0	-	-	0	-	-	0	-	-	0	-	-	-	-	0	0	-	0	-	0	-			
	100		100			100			100			100					100	100		100		100				
	*		*			*			*			*					1	*		*		*				
Refused	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-			
	100	100									100	100									100	100				
	*	1									1	1									1	*				

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 006
COMBO TABLE ST-06/ST-07
Base: Total Respondents

	GENDER		A G E					HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		OPIOID PROBLEM		KNOW OPIOID ABUSER	
															WHITE	BLACK	HISP			EXTR/	TOO/		
	TOTAL	FE-MALE	MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$50K-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	NON-HISP	NON-HISP	HISP	DEM	REP	VERY SERIOUS	NOT AT ALL SERIOUS	YES	NO
	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
TOTAL UNWEIGHTED	1011	520	491	189	241	288	291	209	236	133	270	331	278	390	664	115	141	309	242	517	404	395	610
TOTAL WEIGHTED	1011	488	523	216	340	260	193	227	243	127	259	457	244	296	646	118	153	320	226	517	404	413	592
-----	100	48	52	21	34	26	19	22	24	13	26	45	24	29	64	12	15	32	22	51	40	41	59
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)
Have known someone who has abused prescription drugs in the last 5 years	413	185	228	100	165	99	48	91	102	57	121	167	120	125	292	46	46	146	100	295	104	413	-
=====	100	45	55	24	40	24	12	22	25	14	29	40	29	30	71	11	11	35	24	71	25	100	
	41	38	44	46	48	38	25	40	42	45	46	36	49	42	45	39	30	46	44	57	26	100	
				G	FG	G							L		Q					U		W	
Led to their dying	84	32	52	12	39	19	13	20	21	14	17	27	34	23	63	10	7	26	18	71	11	84	-
	100	39	61	14	46	23	15	24	25	16	20	32	40	28	75	12	8	31	22	84	13	100	
	8	7	10	6	11	7	7	9	9	11	7	6	14	8	10	9	4	8	8	14	3	20	
													LN							U		W	
Did not lead to their dying	327	152	175	87	126	79	35	71	81	43	102	138	87	102	228	36	39	120	81	224	92	327	-
	100	46	54	27	38	24	11	22	25	13	31	42	27	31	70	11	12	37	25	69	28	100	
	32	31	34	40	37	31	18	31	33	34	39	30	36	34	35	31	26	37	36	43	23	79	
				G	G	G														U		W	
Don't Know/Refused if it led to their dying	2	1	0	-	-	0	-	-	0	-	1	2	-	-	-	-	0	0	-	0	1	2	-
	100	79	21			21			21		79	100					21	21		21	79	100	
	*	*	*			*			*		1	*					*	*		*	*	*	

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

TABLE 006 (continued)
COMBO TABLE ST-06/ST-07
Base: Total Respondents

	GENDER		A G E				HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		OPIOID PROBLEM		KNOW OPIOID ABUSER			
	TOTAL	MALE	MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K- \$49.9K	\$50K- \$74.9K	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	EXTR/VERY OUS	SOME/NOT AT SERI.	YES	NO	
	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
Have not known someone who has abused prescription drugs in the last 5 years	592	299	293	117	171	159	144	135	137	70	138	289	122	169	351	69	106	173	125	219	299	-	592	
	100	50	50	20	29	27	24	23	23	12	23	49	21	28	59	12	18	29	21	37	51		100	
	59	61	56	54	50	61	75	60	56	55	53	63	50	57	54	59	69	54	55	42	74		100	
						E	DEF					M					O				T		V	
Don't know/refused	6	4	2	-	4	1	1	-	4	-	1	2	2	2	3	2	1	-	1	3	-	-	-	
	100	65	35		64	22	13		61		13	27	32	35	48	32	14		16	47				
	1	1	*		1	1	*		2		*	*	1	1	*	2	1		*	1				

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 007

ST-08. Which ONE of the following do you think is mainly responsible for the growing problem of prescription painkiller abuse?
Base: Total Sample J Respondents

	OPIOID PROBLEM																							

	SOME/NOT																							
	EXTR/TOO/KNOW OPIOID																							
	GENDER		A G E				HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		VERY SERI-	NOT AT AL	ABUSER			
	TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K- \$49.9	\$50K- \$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	OUS	SERI.	AT AL	YES	NO
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)		
TOTAL UNWEIGHTED	539	268	271	103	137	151	146	116	122	73	146	177	149	210	349	59	82	177	127	277	219	219	317	
TOTAL WEIGHTED	560	254	307	121	200	140	97	125	139	72	145	263	134	161	351	65	89	194	114	285	232	244	314	
-----	100	45	55	22	36	25	17	22	25	13	26	47	24	29	63	12	16	35	20	51	41	44	56	
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	
People who take prescription painkillers	206	94	112	47	81	51	27	45	51	22	62	91	46	69	135	19	23	71	43	100	96	98	107	
	100	46	54	23	39	25	13	22	25	11	30	44	22	33	66	9	11	34	21	49	47	47	52	
	37	37	36	39	41	36	28	36	37	30	43	34	34	42	38	30	26	36	37	35	41	40	34	
					G																			
Doctors who inappropriately prescribe painkillers	190	70	119	30	64	57	38	40	44	31	53	85	53	51	127	20	34	61	56	118	59	95	94	
	100	37	63	16	34	30	20	21	23	16	28	45	28	27	67	11	18	32	30	62	31	50	50	
	34	28	39	24	32	41	39	31	32	43	37	32	40	31	36	32	38	32	49	42	25	39	30	
			B		D	D												R	U					
Pharmaceutical companies that sell prescription painkillers	58	27	31	20	19	13	6	18	15	3	13	29	13	16	32	10	10	29	5	21	35	22	36	
	100	46	54	34	33	22	11	32	26	6	22	50	23	27	55	17	17	49	8	35	60	38	62	
	10	11	10	16	9	9	7	15	11	5	9	11	10	10	9	16	11	15	4	7	15	9	12	
																		S		T				
The US Food and Drug Administration, which approves prescription painkillers before they can be sold	41	22	19	15	19	3	3	7	13	9	4	22	8	10	18	9	8	12	4	22	18	17	23	
	100	54	46	38	46	8	8	17	32	22	10	55	21	24	44	22	18	30	10	55	44	43	57	
	7	9	6	13	9	2	3	6	9	12	3	9	6	6	5	14	8	6	3	8	8	7	7	
				FG	F						K					O								

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 008

ST-09a. Do you think most people found possessing small amounts of heroin should serve jail time or should they be placed in a treatment program without jail time?
Base: Total Sample E Respondents

	OPIOID PROBLEM																						
																				SOME/NOT		KNOW OPIOID	
	GENDER			A G E				HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		EXTR/VERY	TOO/NOT	ABUSER	
	TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$50K-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	SERI- OUS	AT SERI.	AL	YES
TOTAL UNWEIGHTED	348	169	179	57	82	113	95	75	83	44	90	114	105	126	232	39	49	109	90	187	133	137	209
TOTAL WEIGHTED	347	164	184	67	114	104	61	80	87	38	91	152	92	100	228	33	54	113	90	192	130	145	201
-----	100	47	53	19	33	30	18	23	25	11	26	44	27	29	66	10	16	33	26	55	38	42	58
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)
Should serve jail time	51	29	22	6	21	17	8	12	6	7	16	26	14	11	35	5	7	9	18	31	16	23	28
	100	57	43	12	41	33	15	23	12	13	31	51	27	23	68	10	14	17	35	61	31	44	56
	15	18	12	9	18	16	13	15	7	18	18	17	15	11	15	15	13	8	20	16	12	16	14
																			R				
Should be placed in a treatment center without jail time	278	123	155	60	92	81	45	68	74	30	70	115	76	85	180	28	45	100	67	152	108	116	162
	100	44	56	21	33	29	16	25	27	11	25	41	27	31	65	10	16	36	24	55	39	42	58
	80	75	84	89	81	78	73	85	85	79	77	76	82	84	79	84	83	88	74	79	83	80	81
				G														S					
Don't Know	15	9	6	1	4	4	9	-	4	1	3	8	3	3	11	0	3	4	4	6	5	5	9
	100	60	40	7	7	27	59		28	9	22	56	20	22	78	2	18	30	30	44	34	34	63
	4	5	3	2	1	4	14		5	3	4	5	3	3	5	1	5	4	5	3	4	3	5
							DEF																
Refused	4	3	1	-	-	2	-	-	2	-	1	3	-	1	2	-	-	-	1	2	1	1	1
	100	75	25			62			62		38	75		25	62				25	62	38	38	37
	1	2	1			2			3		2	2		1	1				1	1	1	1	1

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 009

ST-09b. Do you think most people found possessing small amounts of prescription painkillers obtained without a prescription should serve jail time or should they be placed in a treatment program without jail time?
Base: Total Sample F Respondents

	OPIOID PROBLEM																							
	GENDER		A G E					HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		EXTR/VERY SERIOUS	SOME/NOT AT ALL	KNOW OPIOID ABUSER		
	TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$50K-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	OUS	SERI.	AT AL	YES	NO
	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
TOTAL UNWEIGHTED	321	158	163	61	71	93	95	52	78	42	92	101	88	129	216	30	42	94	81	153	134	135	185	
TOTAL WEIGHTED	325	141	184	74	100	82	68	64	79	42	88	148	75	99	215	37	47	100	73	148	144	139	185	
-----	100	43	57	23	31	25	21	20	24	13	27	46	23	30	66	12	15	31	23	46	44	43	57	
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	
Should serve jail time	27	9	18	9	4	13	1	7	8	4	5	14	8	6	21	2	3	4	10	18	8	12	16	
	100	33	67	32	16	47	3	25	30	16	17	49	30	21	75	6	10	15	35	67	29	42	58	
	8	6	10	12	4	16	1	11	10	10	5	9	11	6	10	4	6	4	13	12	6	8	9	
				G		EG																		
Should be placed in a treatment center without jail time	273	118	155	63	90	64	57	55	62	37	81	121	62	90	180	32	42	92	60	123	130	125	148	
	100	43	57	23	33	24	21	20	23	14	30	44	23	33	66	12	15	34	22	45	48	46	54	
	84	84	84	85	90	79	83	86	79	88	92	81	83	91	84	86	89	92	81	83	91	90	80	
											I													
Don't Know	22	12	10	2	6	3	10	2	9	1	1	13	4	3	13	4	1	3	4	6	4	2	19	
	100	54	46	12	28	13	48	11	40	3	5	58	19	13	63	18	6	12	19	28	21	9	87	
	7	8	5	3	6	3	15	4	11	2	1	8	5	3	6	10	3	3	6	4	3	1	10	
							DF		K														V	
Refused	2	2	0	-	-	2	0	-	-	-	1	1	1	0	1	-	1	1	-	0	1	0	2	
	100	84	16			84	16				47	53	31	16	47		53	53		16	31	16	84	
	1	1	*			3	1				1	1	1	*	1		3	1		*	1	*	1	

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 010
ST-09c. Do you think most people found possessing small amounts of crack cocaine should serve jail time or should they be placed in a treatment program without jail time?
Base: Total Sample G Respondents

	OPIOID PROBLEM																						
																				SOME/NOT			
	GENDER			A G E				HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		EXTR/VERY	TOO/NOT	KNOW OPIOID ABUSER	
	TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$50K-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	SERI- OUS	AT AL SERI.	YES	NO
TOTAL UNWEIGHTED	342	193	149	71	88	82	101	82	75	47	88	116	85	135	216	46	50	106	71	177	137	123	216
TOTAL WEIGHTED	339	184	155	75	127	73	64	82	77	46	81	157	76	97	203	47	51	106	62	177	130	129	206
-----	100	54	46	22	37	22	19	24	23	14	24	46	23	29	60	14	15	31	18	52	38	38	61
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)
Should serve jail time	73	43	30	11	27	22	13	13	20	9	17	31	23	17	54	7	2	21	21	44	18	25	49
	100	59	41	15	38	30	17	18	27	12	24	43	31	23	74	9	3	28	29	60	25	33	67
	22	24	19	15	22	30	20	16	26	19	22	20	30	17	27	14	5	19	34	25	14	19	24
															Q								
Should be placed in a treatment center without jail time	251	134	118	61	93	50	47	64	54	36	62	120	50	76	140	38	49	81	40	127	107	101	150
	100	53	47	24	37	20	19	26	21	14	25	48	20	30	56	15	19	32	16	50	43	40	60
	74	73	76	81	73	68	74	78	70	78	76	77	65	78	69	82	95	76	64	71	83	78	73
																	O						
Don't Know	13	6	7	3	6	2	3	4	3	1	2	6	4	4	9	2	-	5	1	7	4	4	6
	100	49	51	20	47	12	21	32	26	10	13	43	28	29	67	15		39	9	53	31	27	48
	4	3	4	3	5	2	4	5	4	3	2	4	5	4	4	4		5	2	4	3	3	3
Refused	2	1	1	0	-	-	1	-	-	-	0	-	-	1	0	-	-	-	-	-	-	0	1
	100	31	69	15			85				15			31	15							15	85
	*	*	1	*			2				*			1	*							*	1

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 011

ST-10. Do you think the amount of money the government currently spends on treatment programs for people addicted to prescription painkillers or heroin is too high, too low, or about right?
Base: Total Sample D Respondents

	OPIOID PROBLEM																							
	GENDER		A G E					HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		EXTR/	SOME/	TOO/	NOT	KNOW OPIOID
	TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K- \$49.9	\$50K- \$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	VERY SERIOUS	NOT AT ALL SERIOUS	ABUSER	YES	NO
	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
TOTAL UNWEIGHTED	514	258	256	97	122	140	154	106	125	67	139	162	139	207	337	57	71	161	133	271	203	190	322	
TOTAL WEIGHTED	506	240	266	110	170	127	99	111	129	62	130	219	124	158	331	48	74	167	122	269	201	202	303	
-----	100	47	53	22	34	25	20	22	25	12	26	43	25	31	65	9	15	33	24	53	40	40	60	
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	
Too high	71	40	31	15	20	19	17	13	25	10	12	46	14	10	42	7	16	28	19	26	35	12	57	
	100	56	44	22	28	27	24	19	36	14	17	65	20	14	60	9	23	39	27	37	49	17	81	
	14	17	12	14	12	15	17	12	20	16	9	21	12	6	13	14	22	17	16	10	17	6	19	
									K			N								T			V	
Too low	206	97	109	33	78	57	38	44	43	27	76	65	55	83	151	11	21	76	45	120	79	105	101	
	100	47	53	16	38	28	18	21	21	13	37	32	27	40	73	6	10	37	22	58	39	51	49	
	41	41	41	30	46	45	38	40	33	43	58	30	45	52	46	24	28	45	37	45	40	52	33	
					D	D					HI		L	L	PQ								W	
About right	144	72	72	41	44	36	23	37	34	15	28	67	38	38	80	22	26	43	33	80	58	54	90	
	100	50	50	29	31	25	16	25	24	10	19	46	27	26	55	15	18	30	23	56	41	37	63	
	28	30	27	38	26	28	23	33	27	24	21	31	31	24	24	46	36	26	27	30	29	27	30	
				G											O									
Don't Know	83	31	53	20	26	15	21	16	26	11	15	41	16	25	57	8	9	20	23	40	28	32	52	
	100	37	63	24	31	18	25	19	31	13	17	49	19	30	68	9	11	24	28	49	34	38	62	
	16	13	20	18	15	12	21	14	20	17	11	19	13	16	17	16	13	12	19	15	14	16	17	
Refused	2	1	1	-	1	-	1	1	-	-	-	-	-	2	1	-	1	1	1	2	-	-	2	
	100	35	65		65		35	65						100	35		65	65	35	100			100	
	*	*	1		1		1	1						1	*		2	1	1	1			1	

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 012

ST-11. Do you agree or disagree with proposed government guidelines that doctors should prescribe strong painkillers for three days or less when treating acute pain, unless the pain results from trauma or major surgery?
Base: Total Sample H Respondents

	OPIOID PROBLEM																							
	GENDER		A G E					HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		EXTR/VERY SERIOUS	SOME/NOT AT ALL	KNOW OPIOID ABUSER		
	TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$50K-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	OUS	SERI.	AT AL	YES	NO
	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
TOTAL UNWEIGHTED	502	261	241	90	126	145	140	94	122	66	136	162	128	203	312	61	77	154	126	261	187	186	315	
TOTAL WEIGHTED	501	250	251	103	174	133	90	97	129	62	135	222	112	156	298	58	88	156	114	255	192	189	309	
-----	100	50	50	20	35	27	18	19	26	12	27	44	22	31	60	12	18	31	23	51	38	38	62	
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	
Agree	347	172	175	68	134	90	55	65	87	40	101	144	81	114	201	42	67	106	73	197	121	137	208	
	100	49	51	20	39	26	16	19	25	12	29	42	23	33	58	12	19	31	21	57	35	39	60	
	69	69	70	66	77	67	61	67	67	66	75	65	72	73	67	72	77	68	64	77	63	72	67	
					G															U				
Disagree	129	62	67	28	37	37	27	31	36	20	28	69	25	34	83	15	17	45	34	51	66	49	81	
	100	48	52	22	29	29	21	24	28	15	22	53	20	26	64	12	13	35	26	40	51	38	62	
	26	25	27	27	21	28	30	32	28	32	21	31	23	22	28	26	19	29	30	20	34	26	26	
																					T			
Don't Know	21	14	7	7	3	5	6	2	5	1	5	7	6	7	15	1	2	3	6	7	4	4	17	
	100	68	32	34	13	26	28	8	23	5	26	35	27	32	71	4	11	15	29	35	20	19	81	
	4	6	3	7	2	4	6	2	4	2	4	3	5	4	5	1	3	2	5	3	2	2	5	
Refused	3	2	1	-	-	1	2	-	1	0	-	1	-	1	0	-	1	1	1	0	1	0	3	
	100	60	40			38	62		23	7		38		30	7		38	38	23	7	23	7	93	
	1	1	1			1	2		1	*		1		1	*		2	1	1	*	*	*	1	

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 013
ST-12. Do you agree or disagree with proposed government guidelines that physicians should prescribe strong prescription painkillers for chronic pain only after trying alternative therapies such as physical therapy and less potent non-narcotic pain medication?
Base: Total Sample I Respondents

	OPIOID PROBLEM																						
	SOME/NOT																						
	EXTR/TOO/KNOW OPIOID																						
	VERY NOT AT AL ABUSER																						
	GENDER							HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		SERI- OUS	AT AL	YES	NO
	TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$50K-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-	BLACK NON-	HISP	DEM	REP				
			(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	
TOTAL UNWEIGHTED	509	259	250	99	115	143	151	115	114	67	134	169	150	187	352	54	64	155	116	256	217	209	295
TOTAL WEIGHTED	510	238	272	114	166	127	103	129	114	65	124	236	132	140	347	60	65	164	112	262	212	224	283
-----	100	47	53	22	33	25	20	25	22	13	24	46	26	27	68	12	13	32	22	51	41	44	55
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)
Agree	372	169	203	91	110	100	69	94	88	42	94	163	104	105	255	40	48	120	77	191	159	171	201
	100	45	55	25	30	27	19	25	24	11	25	44	28	28	69	11	13	32	21	51	43	46	54
	73	71	75	81	66	79	67	73	77	64	76	69	78	75	73	67	73	73	69	73	75	76	71
				G		G																	
Disagree	108	59	48	21	42	23	22	25	19	21	26	55	21	30	72	13	16	36	27	58	47	44	61
	100	55	45	20	39	21	20	23	18	20	24	51	20	28	67	12	15	33	25	54	44	41	57
	21	25	18	19	25	18	21	19	17	32	21	23	16	22	21	22	25	22	24	22	22	20	22
										I													
Don't Know	30	10	20	0	14	4	12	10	7	2	2	18	7	4	20	7	2	8	7	11	5	8	20
	100	33	67	1	46	13	40	33	25	8	8	59	24	12	66	23	5	26	24	38	18	27	69
	6	4	7	*	8	3	11	8	6	4	2	7	5	3	6	11	2	5	6	4	3	4	7
				D			DF																
Refused	1	1	0	0	1	-	0	-	-	-	1	-	-	1	0	-	-	-	-	0	1	1	1
	100	68	32	20	48		32				100			100	32					32	48	52	48
	*	*	*	*	*		*				1			1	*					*	*	*	*

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 014

ST-13. How concerned are you that new government guidelines will make it too difficult for people who need prescription painkillers for medical reasons to get them? Are you very concerned, somewhat concerned, not too concerned or not at all concerned?
Base: Total Respondents

	OPIOID PROBLEM																						
	SOME/NOT																						
	EXTR/TOO/KNOW OPIOID																						
	VERY/NOT AT ALL ABUSER																						
	GENDER		A G E					HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		SERI- OUS	SERI. AT AL	YES	NO
	TOTAL	MALE	FE- MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K- \$49.9	\$50K- \$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON- HISP	BLACK NON- HISP	HISP	DEM	REP				
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	
	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	
TOTAL UNWEIGHTED	1011	520	491	189	241	288	291	209	236	133	270	331	278	390	664	115	141	309	242	517	404	395	610
TOTAL WEIGHTED	1011	488	523	216	340	260	193	227	243	127	259	457	244	296	646	118	153	320	226	517	404	413	592
-----	100	48	52	21	34	26	19	22	24	13	26	45	24	29	64	12	15	32	22	51	40	41	59
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)
Concerned (Net)	560	247	313	106	187	158	109	134	138	70	133	267	143	143	357	72	77	182	120	296	226	234	324
=====	100	44	56	19	33	28	19	24	25	13	24	48	25	25	64	13	14	32	21	53	40	42	58
	55	51	60	49	55	61	57	59	57	55	51	58	58	48	55	61	50	57	53	57	56	57	55
			B			D						N	N										
Very concerned	236	115	121	40	75	70	51	69	60	27	43	121	55	54	145	40	30	75	43	136	84	95	138
	100	49	51	17	32	29	22	29	26	11	18	51	23	23	61	17	13	32	18	58	35	40	59
	23	24	23	19	22	27	26	31	25	21	17	26	22	18	22	34	20	23	19	26	21	23	23
								K				N				OQ							
Somewhat concerned	324	132	192	66	112	89	58	65	77	44	90	146	88	89	212	33	47	107	77	160	142	138	185
	100	41	59	20	34	27	18	20	24	13	28	45	27	27	65	10	14	33	24	49	44	43	57
	32	27	37	31	33	34	30	29	32	34	35	32	36	30	33	28	31	33	34	31	35	33	31
			B																				
Not Concerned (Net)	421	224	198	107	145	91	76	87	104	55	114	173	100	145	268	45	71	129	96	214	170	171	247
=====	100	53	47	25	34	22	18	21	25	13	27	41	24	34	63	11	17	31	23	51	40	41	59
	42	46	38	49	43	35	40	38	43	43	44	38	41	49	41	38	47	40	42	41	42	41	42
		C		F										L									

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 014 (continued)

ST-13. How concerned are you that new government guidelines will make it too difficult for people who need prescription painkillers for medical reasons to get them? Are you very concerned, somewhat concerned, not too concerned or not at all concerned?
Base: Total Respondents

	OPIOID PROBLEM																						
	SOME/NOT																			KNOW OPIOID ABUSER			
	EXTR/TOO/NOT																						
	GENDER			A G E				HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		VERY SERI-	AT AL	YES	NO
TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$49.9-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	OUS	SERI.	AT AL	YES	NO
Not too concerned	262	125	138	72	95	51	43	62	55	36	73	107	68	84	161	26	57	80	62	139	103	118	144
	100	48	52	27	36	19	16	24	21	14	28	41	26	32	62	10	22	31	23	53	39	45	55
	26	26	26	33	28	20	22	28	23	28	28	23	28	28	25	22	38	25	27	27	25	29	24
				FG													OP						
Not at all concerned	159	99	60	35	50	40	33	25	49	19	41	66	32	60	106	18	14	49	34	75	68	53	104
	100	62	38	22	32	25	21	15	30	12	26	42	20	38	67	11	9	31	21	47	42	34	65
	16	20	12	16	15	15	17	11	20	15	16	14	13	20	16	15	9	15	15	14	17	13	18
		C							H					M									
Don't Know	23	14	9	2	8	9	5	5	0	1	12	14	2	7	19	1	3	6	8	7	8	8	15
	100	61	39	9	32	36	22	23	2	4	51	61	7	30	79	4	12	27	35	29	34	35	63
	2	3	2	1	2	3	3	2	*	1	5	3	1	2	3	1	2	2	4	1	2	2	3
											I												
Refused	6	3	2	1	-	2	2	-	1	1	-	3	-	2	3	-	2	2	2	1	-	-	6
	100	60	40	16		43	41		16	12		51		29	45		35	35	32	20			100
	1	1	*	*		1	1		*	1		1		1	*		1	1	1	*			1

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 015

ST-13. How concerned are you that new government guidelines will make it too difficult for people who need prescription painkillers for medical reasons to get them? Are you very concerned, somewhat concerned, not too concerned or not at all concerned?
Base: Total Sample H Respondents

	OPIOID PROBLEM																						
																				SOME/NOT		KNOW OPIOID	
	GENDER			A G E				HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		EXTR/VERY	TOO/NOT	ABUSER	
	TOTAL	MALE	FE-MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$50K-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	SERI- OUS	AT AL SERI.	YES	NO
TOTAL UNWEIGHTED	502	261	241	90	126	145	140	94	122	66	136	162	128	203	312	61	77	154	126	261	187	186	315
TOTAL WEIGHTED	501	250	251	103	174	133	90	97	129	62	135	222	112	156	298	58	88	156	114	255	192	189	309
-----	100	50	50	20	35	27	18	19	26	12	27	44	22	31	60	12	18	31	23	51	38	38	62
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)
Concerned (Net)	265	131	134	43	91	84	47	51	67	34	72	121	62	75	158	36	40	79	54	138	105	102	161
=====	100	50	50	16	34	32	18	19	25	13	27	46	23	28	60	13	15	30	20	52	40	38	61
	53	53	53	42	52	63	53	52	52	55	53	54	56	48	53	61	45	51	47	54	55	54	52
							D																
Very concerned	106	61	45	14	33	34	24	26	24	11	26	48	23	29	54	20	18	30	17	59	36	38	66
	100	58	42	14	31	32	23	24	23	10	25	45	22	27	52	19	17	28	16	56	34	36	62
	21	24	18	14	19	26	27	27	19	18	19	21	21	18	34	19	21	19	15	23	19	20	21
							D									O							
Somewhat concerned	159	70	89	28	58	50	23	25	43	23	46	73	39	47	104	16	21	49	37	79	68	64	95
	100	44	56	18	37	31	14	16	27	14	29	46	25	29	65	10	13	31	23	49	43	40	60
	32	28	35	28	33	37	26	26	34	37	34	33	35	30	35	27	24	32	32	31	36	34	31
Not Concerned (Net)	224	111	113	57	81	46	39	45	61	26	61	93	49	79	134	22	45	73	57	114	87	84	140
=====	100	50	50	25	36	20	18	20	27	12	27	41	22	35	60	10	20	33	25	51	39	37	63
	45	44	45	55	47	34	44	46	48	43	45	42	44	51	45	38	51	47	50	45	45	44	45
				F																			

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 015 (continued)

ST-13. How concerned are you that new government guidelines will make it too difficult for people who need prescription painkillers for medical reasons to get them? Are you very concerned, somewhat concerned, not too concerned or not at all concerned?
Base: Total Sample H Respondents

	OPIOID PROBLEM																							
	SOME/NOT																							
	GENDER		A G E						HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		EXTR/VERY SERI-	TOO/NOT AT AL	KNOW OPIOID ABUSER	
	TOTAL	FE-MALE	MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K-\$49.9	\$50K-\$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON-HISP	BLACK NON-HISP	HISP	DEM	REP	OUS	SERI.	AT AL	YES	NO
Not too concerned	139	62	77	39	53	25	22	34	38	15	37	64	32	41	78	14	37	42	40	76	49	55	84	
	100	45	55	28	38	18	16	24	27	11	26	46	23	30	56	10	27	30	29	55	35	40	60	
	28	25	31	38	31	19	25	35	29	24	27	29	28	27	26	25	42	27	35	30	25	29	27	
				F	F												O							
Not at all concerned	85	49	36	18	28	21	17	11	24	11	24	29	18	37	56	8	8	31	17	38	39	29	56	
	100	58	42	22	33	25	20	13	28	13	28	34	21	44	66	9	9	37	20	45	45	34	66	
	17	20	14	18	16	16	19	11	18	19	18	13	16	24	19	14	9	20	15	15	20	15	18	
														L										
Don't Know	7	5	2	2	2	1	2	2	-	1	2	6	0	1	5	0	1	1	2	2	0	4	3	
	100	71	29	29	26	16	29	29		9	36	83	4	13	69	4	18	19	36	34	4	55	45	
	1	2	1	2	1	1	2	2		1	2	3	*	1	2	*	1	1	2	1	*	2	1	
Refused	5	2	2	1	-	2	1	-	-	1	-	3	-	1	2	-	2	2	1	1	-	-	5	
	100	52	48	19		52	30			14		60		16	34		42	42	19	24			100	
	1	1	1	1		2	2			1		1		*	1		2	1	1	*			2	

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW
Note: Percentage less than 0.5 printed as *.

**SSRS Omnibus Study
Study #P8809**

March 3 - 6, 2016

TABLE 016

ST-13. How concerned are you that new government guidelines will make it too difficult for people who need prescription painkillers for medical reasons to get them? Are you very concerned, somewhat concerned, not too concerned or not at all concerned?
Base: Total Sample I Respondents

	OPIOID PROBLEM																						
	SOME/NOT																						
	EXTR/TOO/KNOW OPIOID																						
	VERY/NOT AT ALL ABUSER																						
	GENDER		A G E					HOUSEHOLD INCOME				EDUCATION			RACE/ETHNIC			PARTY ID		SERI- OUS	SERI. AT AL	YES	NO
	TOTAL	MALE	FE- MALE	18-29	30-49	50-64	65+	UNDER \$25K	\$25K- \$49.9	\$50K- \$74.9	\$75K+	H.S. LESS	SOME COLL	COLL POST	WHITE NON- HISP	BLACK NON- HISP	HISP	DEM	REP				
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)
TOTAL UNWEIGHTED	509	259	250	99	115	143	151	115	114	67	134	169	150	187	352	54	64	155	116	256	217	209	295
TOTAL WEIGHTED	510	238	272	114	166	127	103	129	114	65	124	236	132	140	347	60	65	164	112	262	212	224	283
-----	100	47	53	22	33	25	20	25	22	13	24	46	26	27	68	12	13	32	22	51	41	44	55
	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)
Concerned (Net)	295	116	180	63	96	74	62	83	70	37	62	146	80	67	199	37	37	102	66	158	121	132	163
=====	100	39	61	21	33	25	21	28	24	12	21	50	27	23	67	12	13	35	22	53	41	45	55
	58	49	66	56	58	59	60	65	62	56	50	62	61	48	57	62	57	63	59	60	57	59	58
			B									N	N										
Very concerned	130	54	76	26	43	36	27	44	36	16	17	74	32	25	90	20	12	45	26	77	47	58	73
	100	41	59	20	33	27	20	33	28	12	13	56	24	19	69	15	9	34	20	59	36	44	56
	26	23	28	23	26	28	26	34	32	24	14	31	24	18	26	34	18	27	23	29	22	26	26
								K	K			N											
Somewhat concerned	165	62	103	38	54	39	35	40	34	21	45	73	49	43	109	17	25	58	40	81	74	74	90
	100	37	63	23	32	23	21	24	21	13	27	44	29	26	66	10	15	35	24	49	45	45	55
	32	26	38	33	32	31	34	31	30	32	36	31	37	30	31	28	39	35	36	31	35	33	32
			B																				
Not Concerned (Net)	197	112	85	50	64	45	37	42	43	28	53	80	50	66	133	22	26	56	39	99	83	87	107
=====	100	57	43	25	32	23	19	21	22	14	27	41	26	33	68	11	13	29	20	50	42	44	54
	39	47	31	44	39	35	36	33	37	43	43	34	38	47	38	37	41	34	35	38	39	39	38
			C											L									

(sig=.05) (all_pairs) columns tested BC, DE, DF, DG, EF, EG, FG, HI, HJ, HK, IJ, IK, JK, LM, LN, MN, OP, OQ, PQ, RS, TU, VW

